

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1003
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1004

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1005
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1006
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raißeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1009
ECOLAB Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf
Year of manufacture: 2023



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1011

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 712276 / 41723 / 1012
Serial number:

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1013

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

F für P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1014
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1015

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04.05.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1017
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1020
Year of manufacture: 2023

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siesgendorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1021
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1023

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1024

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1025

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4j-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1026

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1027



Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1028
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1029
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 10240555
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FKM, PEEK, Ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 712276 / 41723 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421