


Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50.0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	730409 / 2824 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1002

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1003

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1004
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1005
ECOLAB
Year of manufacture: 2024
Made In Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1006
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1007

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4I-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	730409 / 2824 / 1008
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 75 _____ [l/h]*
lower measuring range limit

Impulszahl 39 _____ [n/min]
pulse rate

bei 120 _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24 _____

Prüfer P3 _____

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50.0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	730409 / 2824 / 1009
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 75 _____ [l/h]*
lower measuring range limit

Impulszahl 41 _____ [n/min]
pulse rate

bei 120 _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24 _____

Prüfer P3 _____

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1010

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPK	KE-G5/4i-99-0050m-P
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	730409 / 2824 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siedsdorf
Year of manufacture:	2024



Anlaufgrenze 75 _____ [l/h]*
lower measuring range limit

Impulszahl 39 _____ [n/min]
pulse rate

bei 120 _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24 _____

Prüfer P3 _____

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	730409 / 2824 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1013

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse /
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1015

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1016

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralffaenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 _____ [l/h]*
lower measuring range limit

Impulszahl 39 _____ [n/min]
pulse rate

bei 120 _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24 _____

Prüfer P3 _____

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1018

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 730409 / 2824 / 1019

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.02.24

Prüfer P3