

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: 280030

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,

ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 22322 / 1001

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 135 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: 280030

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,

ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 22322 / 1002

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 131 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: 280030

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,  
ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 22322 / 1003

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 132 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: 280030

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK

ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 22322 / 1004

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 129 [n/min]  
pulse rate


bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2		
PN: <b>280030</b>		
OGM 020VCFPPKKEI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	80 l/h	
Prod. code:	499096 / 223 22 / 1005	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 137 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFPPKKEI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	60 l/h	
Prod. code:	499096 / 223 22 / 1006	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 129 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: **280030**

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,  
ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 22322 / 1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 133 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ 2

PN: **280030**

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,  
ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

499096 / 223 22 / 1008

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 11 [l/h]\*  
lower measuring range limit

Impulszahl 135 [n/min]  
pulse rate

bei 18 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 09.06.22

Prüfer **P 410**