

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1080

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701 848 / 23722 / 1079

ECOLAB Engineering GmbH
D-83133 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1078

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1077

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1078

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1075

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1074

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1073

ECOLAB Engineering GmbH
D-83313 Stegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701648/23722/1072

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1071

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1070

ECOLAB Engineering GmbH
D-63313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1089

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1088

ECOLAB Engineering GmbH
D-93313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1067

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701 848 / 23722 / 1008

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1065

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 54 / 85 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 01/701848/23722/1064

ECOLAB Engineering GmbH
D-63313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1063

ECOLAB Engineering GmbH
D-93313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 3.1 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1062

ECOLAB Engineering GmbH
D-63313 Biegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1081

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **290043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1060

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701 848 / 23722 / 1059

ECOLAB Engineering GmbH
D-83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1058

ECOLAB Engineering GmbH
D-83313 Stegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1057

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1058

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1055

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1054

ECOLAB Engineering GmbH
D-83313 Slegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1053

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1052

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1051

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/28722/1050

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701 848 / 23722 / 1049

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1048

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1047

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1048

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: 280043

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1045

ECOLAB Engineering GmbH
D-83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1044

ECCLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-98-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1043

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 54 / 85 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 01 / 701848 / 23722 / 1042

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1041

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1040

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1039

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1038

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1037

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1038

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1035

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 54 / 85 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 01/701848/23722/1034

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1033

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1032

ECOLAB Engineering GmbH
D-83213 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1031

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1030

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/80Hz)

semiconductor junction: PNP

prod. code: 01 / 701848 / 23722 / 1029

ECOLAB Engineering GmbH
D-63313 Sieglar



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701846/23722/1028

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1027

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1028

ECOLAB Engineering GmbH
D-83313 Slegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **290043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1025

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	54 / 85 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01/701848/23722/1024

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1023

ECOLAB Engineering GmbH
D-83113 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1022

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1021

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701 848/23722/1020

ECOLAB Engineering GmbH
D-83133 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1019

ECOLAB Engineering GmbH
D-83133 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer **P3**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1018

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1017

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1016

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1015

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1014

ECOLAB Engineering GmbH

D-63313 Siegborn



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1013

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	54 / 65 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01/701848/23722/1012

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1011

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1010

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1009

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1008

ECOLAB Engineering GmbH
D-83113 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1007

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (60/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1006

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1005

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1004

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1003

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/701848/23722/1002

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540
PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 5,0 ml/pulse, 200 pulses/l
max. pump size: 54 / 65 l/h (50/60Hz)
semiconductor junction: PNP
prod. code:

01/701848/23722/1001

ECOLAB Engineering GmbH
D-63313 Sieddorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20.09.22

Prüfer P3