

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                                      |                              |  |
| PN: <b>10240556</b>   |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                              |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l   |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:   | PNP                          |   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1001 |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf<br>Made In Germany |                              |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                                      |                              |  |
| PN: 10240556  |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                              |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l   |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:   | PNP                          |   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1002 |   |
| ECOLAB Engineering GmbH<br>D-83313 Slegsdorf<br>Made in Germany |                              |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240558**



OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701851 / 43822 / 1003

ECOLAB Engineering GmbH  
D-83313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                               |   |
|---|-------------------------------|---|
| Oval gear meter PLUS 01200                                      |                               |  |
| PN: <b>10240556</b>   |                               |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                               |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic      |   |
| signal output (standard):                                       | 5.0 ml/pulse, 200 pulses/l    |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)       |   |
| semiconductor junction:   | PNP                           |   |
| Year/Prod. code:  | 2022 / 701851 / 438 22 / 1004 |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf<br>Made in Germany |                               |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240556**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701851 / 43822 / 1005

ECOLAB Engineering GmbH  
D-63313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240556**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701851 / 438 22 / 1006

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240556**



OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701851 / 43822 / 1007

ECOLAB Engineering GmbH  
D-83313 Stegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                    |                              |  |
| PN: <b>10240556</b>                           |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P       |                              |   |
| materials of construction:                    | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                     | 5.0 ml/pulse, 200 pulses/l   |   |
| max. pump size:                               | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:                       | PNP                          |   |
| Year/Prod. code:                              | 2022 / 701851 / 43822 / 1008 |   |
| ECOLAB Engineering GmbH<br>D-83313 Stegendorf |                              |  |
| Made in Germany                               |                              |   |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240556**   
OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, EPDM, PEEK, ceramic  
signal output (standard): 5.0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 701851 / 43822 / 1009  
ECOLAB Engineering GmbH  
D-83313 Slegsdorf  
Made in Germany 

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate



bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                                      |                              |  |
| PN: <b>10240556</b>   |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                              |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l   |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:   | PNP                          |   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1010 |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf<br>Made in Germany |                              |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240556**  
OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, EPDM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 701851 / 43822 / 1011

ECOLAB Engineering GmbH  
D-63313 Stegsdorf  
Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |   |
|---|---|
| Oval gear meter PLUS 01200                                      |  |
| PN: <b>10240556</b>   |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic  |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l  |
| max. pump size:   | 120 / 144 l/h (50/60Hz)   |
| semiconductor junction:   | PNP   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1012  |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf<br>Made in Germany |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|  |                              |   |
|--|------------------------------|---|
| Oval gear meter PLUS 01200                   |                              |  |
| PN: <b>10240556</b>                          |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P      |                              |   |
| materials of construction:                   | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                    | 5.0 ml/pulse, 200 pulses/l   |   |
| max. pump size:                              | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:                      | PNP                          |   |
| Year/Prod. code:                             | 2022 / 701851 / 43822 / 1013 |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf |                              |  |
| Made In Germany                              |                              |   |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                               |   |
|---|-------------------------------|---|
| Oval gear meter PLUS 01200                                      |                               |  |
| PN: <b>10240556</b>   |                               |   |
| OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P                         |                               |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic      |   |
| signal output (standard):                                       | 5.0 ml/pulse, 200 pulses/l    |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)       |   |
| semiconductor junction:   | PNP                           |   |
| Year/Prod. code:  | 2022 / 701851 / 438 22 / 1014 |   |
| ECOLAB Engineering GmbH<br>D-83133 Slegsdorf<br>Made in Germany |                               |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.05.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                                      |                              |  |
| PN: 10240556  |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P                         |                              |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l   |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:   | PNP                          |   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1015 |   |
| ECOLAB Engineering GmbH<br>D-83313 Slegsdorf<br>Made in Germany |                              |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.05.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                              |   |
|---|------------------------------|---|
| Oval gear meter PLUS 01200                                      |                              |  |
| PN: <b>10240556</b>   |                              |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                              |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic     |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l   |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)      |   |
| semiconductor junction:   | PNP                          |   |
| Year/Prod. code:  | 2022 / 701851 / 43822 / 1016 |   |
| ECOLAB Engineering GmbH<br>D-83313 Siedsdorf<br>Made in Germany |                              |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

|   |                               |   |
|---|-------------------------------|---|
| Oval gear meter PLUS 01200                                      |                               |  |
| PN: <b>10240556</b>   |                               |   |
| OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P                         |                               |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic      |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l    |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)       |   |
| semiconductor junction:   | PNP                           |   |
| Year/Prod. code:  | 2022 / 701851 / 438 22 / 1017 |   |
| ECOLAB Engineering GmbH<br>D-83313 Slegsdorf<br>Made in Germany |                               |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                            |   |
|---|----------------------------|---|
| Oval gear meter PLUS 01200                                      |                            |  |
| PN: <b>10240556</b>   |                            |   |
| OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P                         |                            |   |
| materials of construction:                                      | PVC, EPDM, PEEK, ceramic   |   |
| signal output (standard):                                       | 5,0 ml/pulse, 200 pulses/l |   |
| max. pump size:   | 120 / 144 l/h (50/60Hz)    |   |
| semiconductor junction:   | PNP                        |   |
| Year/Prod. code:  | 2022 / 701851/43822/1018   |   |
| ECOLAB Engineering GmbH<br>D-83313 Slegsdorf<br>Made in Germany |                            |  |

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 26.09.22

Prüfer P 410