

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280065**

OGM PLUS 02100VCFPPKKE-G5/4l-99-0125p-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 8,0 ml/pulse, 125 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 702854/43422/1005

ECOLAB Engineering GmbH
D-63313 Slegendorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 185 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.08.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280065**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0125p-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 8,0 ml/pulse, 125 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 702854 / 43422 / 1004

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 181 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.08.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280065**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0125p-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 8,0 ml/pulse, 125 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 702654/43422/1003

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 186 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.08.22

Prüfer P3

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280065**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0125p-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 8,0 ml/pulse, 125 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 702854 / 43422 / 1002

ECOLAB Engineering GmbH
D-83313 Slegendorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 185 [n/min]
pulse rate



bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.08.22

Prüfer P3

Prüfprotokoll OGM^{plus}

| | |
|--|---|
| Oval gear meter PLUS 02100 |  |
| PN: 280065 | |
| OGM PLUS 02100VCFPPKKE-G5/4I-99-0125p-P | |
| materials of construction: | PVC, FPM, PEEK, ceramic |
| signal output (standard): | 8,0 ml/pulse, 125 pulses/l |
| max. pump size: | 210 / 250 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| prod. code: | 702854 / 43422 / 1001 |
| ECOLAB Engineering GmbH D-83313 Siegsdorf |  |

Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 185 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.08.22

Prüfer P3