

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1068
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1067
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1066
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1065
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P304

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1064
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1063

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1062
ECOLAB*
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1061

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1060
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622/ 1059

ECOLAB[®]

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R301

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1058
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1057
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18. 11. 22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1056
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1055

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer PB91

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1054
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer PB91

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1053
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1052
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1051

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1050

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1049

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1048
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1047
ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1046

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer PB91

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1045

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralf-Heisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 85 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1044
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1043

ECOLAB[®]

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1042
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1041

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1040
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1039
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1038

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1037
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1036
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1035

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 704937 / 14622 / 1034
Serial number:

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1033
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1032
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1031
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1030

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1029

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1028
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1027
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1026
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 704937 / 14622 / 1025
Serial number: 704937 / 14622 / 1025
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1024

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
85313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18. 11. 22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1023
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1022
ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1021

ECOLAB

Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1020

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1019
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer _____

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1018

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1017
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1016
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1015
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1014
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1013
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1012
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1011
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1010
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1009
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1008
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1007

ECOLAB

Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18. 11. 22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1006
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1005
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1004
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1002
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704937 / 14622 / 1001
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391