

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1001
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1002

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollner

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1004
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollwender

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1005

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate


bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number:	280077
Model description:	Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P	
Materials of construction:	PVC, EPDM, PEEK, ceramic
Signal output (standard):	20,0 ml/pulse, 50 pulses/l
Max. pump size:	210 / 250 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	706971 / 25022 / 1006
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1007

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280077
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1008

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raißelsteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280077
Oval gear meter PLUS 02100
OGM PLUS 02100VCEPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 706971 / 25022 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 9
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.12.22

Prüfer S. Hereder