

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 708100 / 24822 / 1001
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 1.12.22

Prüfer Solleder

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 708100 / 24822 / 1002
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 46 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 1.12.22

Prüfer Solleroder

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/41-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 708100 / 24822 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 1.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 708100 / 24822 / 1004

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 1.12.22

Prüfer Solleroder