

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1001

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1003
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Slegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1004
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1005  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
120 / 144 l/h (50/60Hz)  
Max. pump size: PNP  
Semiconductor junction: 715277 / 32523 / 1006  
Serial number: **ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1007  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1008
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1009

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1010
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2l-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1012  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1013  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Räffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1014
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1015

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1016  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer \_\_\_\_\_



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1017

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 3,5 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1018

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 715277 / 32523 / 1019

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G 1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	715277 / 32523 / 1020
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siedgedorf
Year of manufacture: 2023	

Anlaufgrenze 3 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 28. Juni 2023

Prüfer P 421