

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1001  
Year of manufacture: 2023

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1003  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1004

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PR EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1005

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 10<sup>8</sup> [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1006  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1007

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1008  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1009  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1010  
**ECOLAB**  
Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1012

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1013  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1014  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1015  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Reifenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1016  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1017

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1019  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1020  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1021  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1022  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1023  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1024  
Year of manufacture: 2023



Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1025  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623/ 1026

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718755 / 32623 / 1027  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 451

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 716755 / 32623 / 1028  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. JULI 2023

Prüfer P 491

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718755 / 32623 / 1029

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718755 / 32623 / 1030

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421