

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: NP
Serial number: 719165 / 42523 / 1001
Made in Germany by:
Ecolab Engineering GmbH
Rafelnsenstrasse 7
83313 Stiegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6

Impulszahl [n/min] 35

bei [l/h]* 10

* = kontinuierlicher Durchfluss / continuous flow

Datum

20.09.2023

Prüfer

P 431

417101586

Prüfprotokoll OGMplus

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/41:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1002
Made in Germany by:
Ecolab Engineering GmbH
Rathelensstrasse /
8313 Siesdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 36
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 221

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: NIP
Serial number: 719165 / 42523 / 1003
Made in Germany by:
Ecolab Engineering GmbH
Faltlöhnerstrasse 7
8313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 36
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P. Schödl

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VFPFKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: NPN
Serial number: 719165 / 42523 / 1004
Made in Germany by:
Ecolab Engineering GmbH
Rathlenstrasse /
83313 Siegsdorf



Anlaufgrenze 6 [1/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [1/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

280043
Oval gear meter PLUS 00540
Model number:
Model description:
OGM PLUS 00540VGFPPKKE-G1/41-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5.0 ml/pulse, 200 pulses/l
Max. pump size:
54 / 65 l/h (50/60Hz)
Semiconductor junction:
PNP
Serial number:
719165 / 42523 / 1005
Made in Germany by:
Ecolab Engineering GmbH
Fährleinsgrasse
83313 Siegsdorf

Year of manufacture: 2023



Anlaufgrenze [1/h]* 6 lower measuring range limit

Impulszahl [n/min] 36 pulse rate

bei [1/h]* 10 at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P_431


417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4I-99-0005m-F
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard):
Max. pump size:
Semiconductor junction:
Serial number:
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Rahlsenstrasse 7
83313 Siegsdorf

719165 / 42523 / 1006
NP
54 / 65 l/h (50/60Hz)
5,0 ml/pulse, 200 pulses/l



Anlaufgrenze [1/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [1/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

[Signature]

Prüfprotokoll OGMplus

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1007
Made in Germany by:
Ecolab Engineering GmbH
Ralfsienstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer



417101586

Prüfprotokoll OGMplus

Model number: 280043
Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G/141-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
PNP
719165 / 42523 / 1008
Made in Germany by:
Ecolab Engineering GmbH
Raffäsenstraße /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1009
Made in Germany by:
Ecolab Engineering GmbH
Rathöfenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [1/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [1/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

25. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
PNP
Semiconductor junction: 719165 / 42523 / 1010
Serial number:
Made in Germany by:
Ecolab Engineering GmbH
Härtleinstrasse /
8313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P. 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
 Model description: Oval gear meter PLUS 00540
 OGM PLUS 00540VCFPPKKE-G1/41:99-0005m-P
 Materials of construction: PVC, FPM, PEEK, ceramic
 Signal output (standard): 5.0 m/pulse, 200 pulses/l
 Max. pump size: 54 / 65 l/h (50/60Hz)
 Semiconductor junction: PNP
 Serial number: 719165 / 42523 / 1011
 Made in Germany by:
 Ecoblab Engineering GmbH
 Räteisenstrasse
 83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [1/h]*
 lower measuring range limit

Impulszahl 37 [n/min]
 pulse rate

bei 10 [1/h]*
 at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26. Juni 2023
 Prüfer P 481

Prüfprotokoll OGMplus

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VGFPPKKE-G1/41-99-0005m-F
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulse/l
Max. pump size: 54 / 65 l/h (50/60Hz)
PNP
Serial number: 719165 / 42523 / 1012
Made in Germany by:
Ecolab Engineering GmbH
Rathfaenstrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anfangsgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 36
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 431


417101586

Prüfer _____
 Datum 28. Juni 2023

Anlaufgrenze 6 [1/h]*
 lower measuring range limit
 Impulszahl 34 [n/min]
 pulse rate
 bei 10 [1/h]*
 at
 * = kontinuierlicher Durchfluss / continuous flow

Prüfprotokoll OGMplus

Model number: 280043
 Model description: Oval gear meter PLUS 00540
 OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
 Materials of construction: PVC, FPM, PEEK, ceramic
 Signal output (standard): 5.0 ml/pulse, 200 pulses/l
 Max. pump size: 54 / 65 l/h (50/60Hz)
 Semiconductor junction: NNP
 Serial number: 719165 / 42523 / 1013
ECOLAB
 Made in Germany by Ecolab Engineering GmbH
 Ralteisenstrasse 83313 Siegsdorf



Year of manufacture: 2023

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): P, I, O, RS485, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
NPN
Serial number: 719165 / 42523 / 1014
Made in Germany by:
Ecolab Engineering GmbH
Rathenstrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Prüfer _____

Datum _____

26. Juni 2023
P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 m/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1015
Made in Germany by:
Ecolab Engineering GmbH
Palfersstrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [1/h]* 6
lower measuring range limit

Impulszahl [n/min] 33
pulse rate

bei [1/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719185 / 42523 / 1016
Made in Germany by:
Ecolab Engineering GmbH
Raimelienstrasse /
83013 Siegsdorf
Year of manufacture: 2023



Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 34
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGMplus

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1017
Made in Germany by:
Ecolab Engineering GmbH
Rathausstrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze

[l/h]*

lower measuring range limit

6

Impulszahl

[n/min]

34

pulse rate

bei

10

[l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

417101586

Prüfprotokoll OGM^{plus}

Model number:
280043
Oval gear meter PLUS 00540
OGM PLUS 00540VCPKKE-G1/4I-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5,0 ml/pulse, 200 pulses/l
54 / 65 l/h (50/60Hz)
Max. pump size:
Semiconductor junction:
PNP
719165 / 42523 / 1018
Made in Germany by:
Ecolab Engineering GmbH
Raffelersgrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6 lower measuring range limit

Impulszahl [n/min] 35 pulse rate

bei [l/h]* 10 at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): PVC, FPM, PEEK, ceramic
Max. pump size: 5.0 ml/pulse, 200 pulses/l
Semiconductor junction: 54 / 65 l/h (50/60Hz)
PNP
Serial number: 719165 / 42523 / 1019
Made in Germany by:
Ecolab Engineering GmbH
Raitenstraße /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [1/h]* 6 lower measuring range limit

Impulszahl [n/min] 35 pulse rate

bei [1/h]* 10 at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM_{plus}

Model number: 280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size:
Semiconductor junction: 54 / 65 l/h (50/60Hz)
PNP
Serial number: 719165 / 42523 / 1020
Made in Germany by:
Ecolab Engineering GmbH
Rathofstrasse
69313 Siegsdorf



Year of manufacture: 2023

Anfangsgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 36
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGMplus

280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKKE-G1/4I:99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5.0 ml/pulse, 200 pulses/l
Max. pump size:
54 / 65 l/h (50/60Hz)
PNP
719165 / 42523 / 1021
Made in Germany by:
Ecolab Engineering GmbH
Rathlenstrasse /
85313 Siegenhof



Year of manufacture: 2023

ECOLAB

Serial number:

Semiconductor junction:

Max. pump size:

Signal output (standard):

Materials of construction:

OGM PLUS 00540VCFPPKKE-G1/4I:99-0005m-P

Model description:

OGM PLUS 00540

280043

Anlaufgrenze [l/h]* 6
lower measuring range limit
Impulszahl [n/min] 35
pulse rate
bei [l/h]* 10
at
* = kontinuierlicher Durchfluss / continuous flow

Datum

10.05.2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKE-G1/41-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5.0 m³/pulse, 200 pulses/l
Max. pump size:
Semiconductor junction:
Serial number:
Year of manufacture: 2023



Made in Germany by:
Ecolab Engineering GmbH
Raitelsengraben
83313 Siegsdorf

280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKE-G1/41-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5.0 m³/pulse, 200 pulses/l
Max. pump size:
Semiconductor junction:
Serial number:
Year of manufacture: 2023

Anlaufgrenze [1/h]* 6
lower measuring range limit

Impulszahl [n/min] 34
pulse rate

bei [1/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

Prüfprotokoll OGM^{plus}

Model number:
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5,0 ml/pulse, 200 pulses/l
Max. pump size:
54 / 65 l/h (50/60Hz)
PNP
Serial number:
280043
Year of manufacture: 2023



Made in Germany by:
Ecolab Engineering GmbH
Rathleisenstrasse 7
83313 Siegsdorf

Anlaufgrenze [l/h]* 6 lower measuring range limit

Impulszahl [n/min] 35

Impulse rate [l/h]* 10 bei

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
PNP
719165 / 42523 / 1024
Made in Germany by:
Ecolab Engineering GmbH
Rathenstrasse /
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 34
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26 Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VFPFKKE-G1/41:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1025
Made in Germany by:
Ecolab Engineering GmbH
Rathausstrasse /
85313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

Prüfprotokoll OGMplus

Model number: 280043
Oval gear meter PLUS 00540
Model description: OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
NP
Semiconductor junction: 719165 / 42523 / 1026
Serial number: Made in Germany by:
Ecolab Engineering GmbH
Friedenstraße /
53313 Sieglar



Year of manufacture: 2023

Anlaufgrenze [1/h]* 6
lower measuring range limit

Impulszahl [n/min] 34
pulse rate

bei [1/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

1321

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1027
Made in Germany by
Ecolab Engineering GmbH
Ralfsenstrasse 7
93313 Stegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 36
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGMDplus

Model number: 280043
Oval gear meter PLUS 00540
Model description: OGMDplus 00540VCFPPKKE-G1/4:99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 719165 / 42523 / 1028
Made in Germany by:
Ecolab Engineering GmbH
Rathenestr. 7
8313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280043
Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G/141-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5.0 ml/pulse, 200 pulses/l
Max. pump size:
54 / 65 l/h (50/60Hz)
PNP
Semiconductor junction:
Serial number:
719165 / 42523 / 1029
Made in Germany by:
Ecolab Engineering GmbH
Rathleinstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze [l/h]* 6
lower measuring range limit

Impulszahl [n/min] 35
pulse rate

bei [l/h]* 10
at

* = kontinuierlicher Durchfluss / continuous flow

Datum

26. Juni 2023

Prüfer

P 421

417101586

Prüfprotokoll OGMplus

280043
Oval gear meter PLUS 00540
Model description:
OGM PLUS 00540VCFPPKE-G141-99-0005m-P
Materials of construction:
PVC, FPM, PEEK, ceramic
Signal output (standard):
5,0 m/pulse, 200 pulses/l
Max. pump size:
54 / 65 l/h (50/60Hz)
PNP
Semiconductor junction:
Serial number:
Year of manufacture: 2023



Made in Germany by:
Ecolab Engineering GmbH
Rathenstrasse 7
83313 Siegsdorf

Anlaufgrenze [l/h]* 6
lower measuring range limit
Impulszahl [n/min] 34
pulse rate
bei [l/h]* 10
at
* = kontinuierlicher Durchfluss / continuous flow

Datum 26. Juni 2023
Prüfer P. 421