

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1001

**ECOLAB**<sup>®</sup>

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1002

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1003

**ECOLAB**<sup>®</sup>

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1004

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731833 / 41024 / 1005

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1006

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1007

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1008

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1009

**ECOLAB**<sup>®</sup>

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1010

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1011

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1012

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1013

**ECOLAB**®

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1014

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1015

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1016

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1017

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1018

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/80Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1019

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1020

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1021

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelosenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1022

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1023

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1024

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1025

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1026

**ECOLAB**<sup>®</sup>

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1027

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1028

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1029

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1030

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegenhof



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1031

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1032

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfseisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1033

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1034

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1035

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstraße 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1036

**ECOLAB**

Made In Germany by:  
Ecolab Engineering GmbH  
Ralf Feisenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1037

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1038

**ECOLAB**<sup>®</sup>

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1039

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731833 / 41024 / 1040

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 3.1 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1041

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83113 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1042

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1043

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83113 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1044

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 85 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1045

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1046

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1047

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelosenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1048

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1049

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1050

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1051

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1052

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1053

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffeisenstrasse 7  
83113 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1054

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1055

**ECOLAB**<sup>®</sup>

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83113 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1056

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1057

**ECOLAB**

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1058

**ECOLAB**<sup>®</sup>

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1059

**ECOLAB**<sup>®</sup>

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280073  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, EPDM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 731933 / 41024 / 1060

**ECOLAB<sup>®</sup>**

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siedsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.03.24

Prüfer P3